

ADDENDA ET CORRIGENDA IN CLEISTOCACTUS LEMAIRE AND ALLIED GENERA

Bolivicereus samaipatanus Cárdenas subsp. *divi-miseratus* (Cárdenas ex Backeberg) Guiggi comb. nov. Basionymus: *Bolivicereus samaipatanus* var. *divi-miseratus* Cárdenas ex Backeberg, Die Cact. 2: 973 (1959). Synonymi: *Bolivicereus samaipatanus* var. *divi-miseratus* Cárdenas, in Natl. Cact. Succ. J. 6: 9 (1951), nom. inval. (cfr. ICN Art. 35.1, McNeill et al., 2012); *Bolivicereus samaipatanus* subsp. *divi-miseratus* (Cárdenas) Guiggi, Cactology 3: 6 (2012), nom. inval. (cfr. ICN Art. 41.5, McNeill et al., 2012); *Borzicactus samaipatanus* (Cárdenas) Kimnach var. *divi-miseratus* (Cárdenas ex Backeberg) Krainz, Kakteen Lief. 21: C Vb (1962); *Cleistocactus samaipatanus* (Cárdenas) D.R.Hunt subsp. *divi-miseratus* (Cárdenas ex Backeberg) M.Lowry, in Bradleya 34: 171 (2016). Specimina visa. Plantae viventum: Bolivia, Dept. Santa Cruz, Chiquitos, Cerro San Miserato, 900 m, M. Cardenas (topotype), cult. hort. Jardin Exotique of Monaco (Imago 1). Exsiccata: Bolivia, Prov. Chiquitos, prope Montana Divi Miserato, 900 m, Feb. 1950, M. Cárdenas 4569 [US, iso., corp, ar, sp, fl, ico]. Notes: replaces previous invalid combination (Guiggi, 2012: 6) with the correct basionym. *Bolivicereus samaipatanus* var. *divi-miseratus* Cardenas (1951) was published two months before the description of the relevant new genus (Lowry, 2016: 172), but Backeberg (1959: 972-973) validated the taxon by including the description in German and an illustration (Abb. 892) of the Cardenas type specimen.

Cleistocactus ritteri Backeberg ex Guiggi spec. nov. Descriptio: Fruticosus, e basi ramosus, viridis; ramis erectis, ad ca. 3 cm Ø; costis primum 8, postea 12—14 vel pluribus, humilibus, angustis, leviter tuberculatis; areolis parvis, ca. 5 mm inter se distantibus, primum tomento bruneo, postea albido; aculeis radialibus et centralibus saepe non distinctis, primum saetosis, albis, in apice dense erectis, deinde ± divaricatis, ± intertextis, ad ca. 30 radialibus, ca. 5 mm longis, tenuissimis, centralibus postea ad 5 aliquid crassioribus, flavescentibus, 1 longiore, ad ca. 1 cm longo, porrecto; in regione florifera primum saetis singularibus, postea acervatis, divaricatis, albis, tenuissimis, ad 3 cm longis; flore ca. 4 cm longo, fere nudo, citreo; tubo citrino, circum neetarium inflato et supra eundem decurvato, ca. 5 mm Ø, squamis parvis, in parte superiore viridulis; phyllis perigonii exterioribus angustis, ca. 1,5 mm latis, ± divaricatis, viridiflavis, interioribus ad 4—6 mm longis, citreis, in media et superiore parte viridibus; filamentis in duplis seriebus, albidis; stylo ca. 3,5 cm longo, flaveolo; stigmatibus erectis, viridibus; nectario ca. 5 mm longo, 3 mm lato; fructu ignoto (Backeberg, 1959b: 163). Typus (autotypus cfr. ICN Art. 9.1, McNeill et al., 2012): ico. in Backeberg, 1959: 164. Synonymi: *Cleistocactus ritteri* Backeberg, Kakteen And. Sukk. 10(11): 163. (1959), nom. inval. (cfr. ICN Art. 8.2, McNeill et al., 2012); *Cephalocleistocactus ritteri* (Backeberg) Backeberg, Die Cact. 6: 3691 (1962), nom. inval. (cfr. ICN Art. 7.3, McNeill et al., 2012). Specimina visa. Plantae viventum: Bolivia, La Paz, Sud-Yungas, F. Ritter FR 325 (type collection), cult. hort. Jardin Exotique of Monaco (Imago 2). Notes: Backeberg (1959: 163) failed to validate species *Cleistocactus ritteri* as he chose as typus a living specimen of FR 325 in the collection of Dr. Karius, Muggen-sturm (Baden) and not a preserved herbarium specimen. In agreement with Lowry (2016: 170), the multiple specimens derived from FR 325 (Bolivia, La Paz, Sud-Yungas, frontier towards Prov. Loyaza, Plazuela, at Río La Paz, 1100 m, Oct. 1954, F. Ritter) deposited at ZSS were neither considered nor cited by Backeberg and Ritter's (1980: 687-688) re-description failed to validate the species.

Bibliographia

- Backeberg, C. 1959a. *Die Cactaceae*. Bd. 2. Gustav Fischer Verlag: Jena (Germany).
 _____. 1959b. *Cleistocactus ritteri* Backbg sp. n. *Kakteen And. Sukk.* 10(11): 163-165.

- Eggli, U., M.M. Schick, and B.E. Leuenberger. 1995. *Cactaceae* of South America: The Ritter Collections. *Englera* 16.
- Guiggi, A. 2012. New genera and combinations in the family of *Cactaceae* Jussieu (*Magnoliopsida* - *Cactales*). *Cactology*. 3: 5-9.
- Kiesling, R., and D. Schweich. 2014. *Martín Cárdenas: Articles devoted to Cacti*. Au Cactus Francophone ed.
- Lowry, M. 2016. A synopsis of the genus *Cleistocactus* Lemaire. *Bradleya*. 34: 148-186.
- McNeill, J. et al. 2012. International Code of Nomenclature for algae, fungi, and plants (Melbourne Code). *Regnum Vegetabile* 154. Koeltz Scientific Books.
- Ritter, F. 1980. *Kakteen in Südamerika*. Bd. 2: Argentinien/Bolivien. F. Ritter selfpub.: Spangenberg (Germany).



Image 1: A topotype plant in flower of *Bolivicereus samaipatanus* Cárdenas subsp. *divi-miseratus* (Cárdenas ex Backeberg) Guiggi from Bolivia, Dept. Santa Cruz, Chiquitos, Cerro San Miserato, 900 m, M. Cárdenas, in cultivation at the Jardin Exotique of Monaco. Photo: A. Guiggi.



Image 2: A type collection plant with the whitish soft spines of *Cleistocactus ritteri* Backeberg ex Guiggi from Bolivia, La Paz, Sud-Yungas, F. Ritter FR 325, in cultivation at the Jardin Exotique of Monaco. Photo: A. Guiggi.

Edited & published by Alessandro Guiggi
DISTAV, Polo Botanico, Università degli Studi di Genova
International Cactaceae Research Center (ICRC)
alex.guiggi@libero.it

The text has been written by Alessandro Guiggi
Tim Thibault revised the English text
Illustrations by individual contributors

All right reserved
No parts of this issue may be reproduced in any form, without permission from the Publisher
© Copyright ICRC

ISSN 1971-3010 (paper edition)
ISSN 2421-5457 (online edition)

Printed copies have been deposited at the libraries of Hanbury Botanical Gardens, Huntington
Botanical Gardens, Instituto de Botánica Darwinion, Kew Gardens, New York Botanical Garden,
Jardin Exotique de Monaco and Sukkulanten Sammlung Zürich

Nomenclatural novelties proposed in this supplement

Bolivicereus samaipatanus Cárdenas subsp. *divi-miseratus* (Cárdenas ex Backeberg) Guiggi
comb. nov.
Cleistocactus ritteri Backeberg ex Guiggi *spec. nov.*

Acknowledgements

I wish to thank Roy Mottram for his scientific advice.